

# PERFECT SILICONE JOINTS



 **CornerTape**<sup>®</sup>  
SYSTEM

# CORNERTAPE

1-2-3


STEP 1

Easy removal



STEP 2

Simple preparation



STEP 3

Perfect finish



# CORNERTAPE

1-2-3

STEP 1

Easy removal



## Silicone Remover Std.

Removes old sealant. Does not damage tiles.

## Silicone Remover Pro

Also available in steel for professionals.

## Residue Remover

Eliminates old residual sealant and grout from uneven surfaces.

STEP 2

Simple preparation



## Preparation Wipes

Practical wet wipes. Cleans and de-greases. Kills germs and bacteria. Ensures great adhesion of your new sealant.

Available in 4-pack and flowpack (20 pcs).

STEP 3

Perfect finish



## CornerTape

For perfect silicone joints. No skills required. No mess. For both DIY'ers and professionals.

Available in different sizes and lengths.

# CORNERTAPE

PRODUCTS

Additional products



## Silicone Forming Kit

For professionals only. Four different spatulas with different sized angles.




## Silicone Gun

A high quality sealant gun for frequent usage. For standard size cartridges.

Visit us online!

## www.CornerTape.net

All demo videos and tips & tricks are available online. Here you can also find our product range, how to use the products, tips & tricks and downloads.



# HOW TO USE?



## Attaching

Place the tape roll against the wall, pushing the crease of the tape fully into the corner. Attach the top of the tape. Remove the white backing paper while rolling the tape down the wall.

## Unfolding

Carefully unfold the other half of the tape and stick that to the wall too. Take care not to pull the tape out of the corner.

An easy way to avoid this is to use the forming tool to hold the tape into the corner.





## Removing foil

Use the end of the forming tool and just slip it under the clear film to help release it away from the silver tape. Try starting a few centimetres in from the end.

## Filling the joint

Fill the gap between the tapes with your sealant. You don't need to apply a neat even bead because you can smooth out the sealant with the forming tool.



## Remove metal tape

CornerTape® can be removed immediately, you don't need to wait because you will not pull the sealant out of the corner - unlike normal masking tape.

# DISPLAY



 **CornerTape**  
SYSTEM

**P.T.B.-COMPAKTUNA®**

0800/92 279 - [www.compaktuna.be](http://www.compaktuna.be)

Industriepark Zwijnaarde 6 - 9052 Gent (Belgium)

+ 32 9 221 11 16 or [info@compaktuna.be](mailto:info@compaktuna.be)